## AMENDED

## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

	•			MAY 0 9 400	
Corrected application	filed	MAY 23 1984	Map filed	MAY 23 1984	} 
The applicant	Elko County	School District			
				*****	3
	ind No. or P.O. Box N	ofof	Elko	City or Town	
Nevada 89801 Sta	te and Zip Code No.		hereby make app	lication for permi	ssion to change th
Point of Divers	sion	Point of diversion, manner of	use and/or place of use		
of water heretofore an	propriated unde	. Permit 47235			
n water heretotore ap		(Identity existing fight by Ye	init, Commente, 11001 of	Claim Nos. If Decreed	, give title of Decree ar
dentify right in Decree.)		<del>-</del>			
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		·
·					
1. The source of wa	ter is	Underground Name of str	eam, lake, underground spi	ing or other source.	
2. The amount of w	ater to be chang	ed 1.0 cfs	et, acre feet. One second fo	ot acuals 449 92 callons	ner válnuta
3. The water to be a	ised for		<u> </u>	• •	
		Geothermal (I	lustrial, etc. If for stock st	ate number and kind of	animals.
4. The water hereto	_	Irrigation, power, m	Heat Extraction ining, industrial, etc. If for	stock state number an	d kind of animals.
5. The water is to b	- 41	fallowing paint NW	SWL of Section	11, T34N, R5	5E, MDB&M.,
	e diverted at the	Descri	SW4 of Section	re subdivision of public	survey and by course a
at a point 1	from which t	he Wis corner of sed land, it should be stated.			58' 19"
at a point for distance to a section of W 578.53 fee	from which torner. If on unsurvey	he Wis corner of sed land, it should be stated.	said Section 1	1 bears N 63 <sup>0</sup>	581 194
at a point of distance to a section of W 578.53 fee	from which to corner. If on unsurvey et.	he Wix corner of red land, it should be stated.	said Section 1  in NW4 SW4 of  If point of de	1 bears N 63 <sup>C</sup> Section 11, 1	34N, R55E,
at a point of distance to a section of W 578.53 fee	from which to corner. If on unsurvey et.	he Wis corner of sed land, it should be stated.	said Section 1  in NW4 SW4 of  If point of de	1 bears N 63 <sup>C</sup> Section 11, 1	34N, R55E,
at a point of distance to a section of W 578.53 fee	from which to order. If on unsurvey et.  nitted point of divided point from	he Wix corner of red land, it should be stated.	said Section 1 in NW¼ SW½ of If point of d rner of said S	1 bears N 63 <sup>C</sup> Section 11, T Diversion is not changed, ection 11 bea	58' 19". 34N, R55E, do not answer. rs N 89°
at a point of distance to a section of W 578.53 fee.  6. The existing permoder MDB&M., at a constant of the distance to a section of	from which to order. If on unsurvey et.  nitted point of dia point from 54.00 feet.	he Wix corner of red land, it should be stated.  iversion is located with which the Wix co	in NW4 SW4 of rner of said S	1 bears N 63 <sup>C</sup> Section 11, 1 Diversion is not changed, ection 11 bea	58' 19".  34N, R55E, do not answer: rs N 89°  R55E,
at a point of distance to a section of W 578.53 fee.  6. The existing perromagnetic MDB&M., at a constant of the constant of t	from which to corner. If on unsurvey et.  nitted point of dia point from 54.00 feet.	he Wix corner of red land, it should be stated.  iversion is located within which the Wix corner of NWix SWix; SWix Describe by legal subdivisions.	in NW4 SW4 of If point of o rner of said S 1 NW4 of Sections, If for irrigation states	1 bears N 63 <sup>C</sup> Section 11, T liversion is not changed, ection 11 bea	34N, R55E, do not answer ers N 89°  R55E, igated.
at a point of distance to a section of W 578.53 fee.  6. The existing perromagnetic MDB&M., at a constant of the distance of MDB&M.	from which to corner, If on unsurvey et.  nitted point of dia point from 54.00 feet.	he Wix corner of red land, it should be stated.  iversion is located with which the Wix corner of NWix SWix:	in NW4 SW4 of If point of deriver of said S  1 NW4 of Sections. If for irrigation state in	Section 11, Tolliversion is not changed, ection 11 bea	34N, R55E, do not answer. rs N 89°  R55E, igated.
at a point of distance to a section of W 578.53 fee.  6. The existing perromagnetic MDB&M., at a constant of the distance of MDB&M.	from which to corner, If on unsurvey et.  nitted point of dia point from 54.00 feet.	he Wix corner of red land, it should be stated.  iversion is located within which the Wix corner of NWix SWix; SWix Describe by legal subdivisions.	in NW4 SW4 of If point of deriver of said S  1 NW4 of Sections. If for irrigation state in	Section 11, Tolliversion is not changed, ection 11 bea	34N, R55E, do not answer. rs N 89°  R55E, igated.
at a point of distance to a section of W 578.53 fee.  6. The existing perromagnetic MDB&M., at a constant of the distance of MDB&M.	from which to corner. If on unsurvey et.  nitted point of dia point from 54.00 feet.	he Wix corner of red land, it should be stated.  iversion is located within which the Wix corner of NWix SWix: SWix Describe by legal subdivision.	in NW4 SW4 of If point of of rner of said S  1 NW4 of Sections, If for irrigation state number of	1 bears N 63 <sup>C</sup> Section 11, Taliversion is not changed, ection 11 bears on 11, T34N, number of acres to be in	34N, R55E, do not answer. rs N 890  R55E, igated.
at a point of distance to a section of W 578.53 fee.  6. The existing perromagnetic MDB&M., at a constant of the constant of MDB&M.  7. Proposed place of MDB&M.  8. Existing place of	from which to order. If on unsurvey et.  nitted point of dia point from 54.00 feet.  fuse Portion  use Same as Describe by lega	he Wig corner of red land, it should be stated.  iversion is located within which the Wig corner of NWig SWig; SWig Describe by legal subdivisions. If permit is for	in NW4 SW4 of If point of of rner of said S  A NW4 of Sections, If for irrigation state in irrigation, state number of	Section 11, Tolliversion is not changed, ection 11 bearson 11 bearson 11, T34N, number of acres to be in	34N, R55E, do not answer: rs N 89°  R55E, igated.
at a point of distance to a section of W 578.53 fee.  6. The existing perromagnetic MDB&M., at a constant of the distance of MDB&M.  7. Proposed place of MDB&M.  8. Existing place of the distance of the dis	from which to corner, If on unsurvey et.  nitted point of dia point from 54.00 feet.  Tuse Portion  use Same as Describe by lega	he Wix corner of red land, it should be stated.  iversion is located within which the Wix corner to be remarked for	in NW4 SW4 of If point of o rner of said S  NW4 of Sections. If for irrigation state of irrigation, state number of	Section 11, Tolliversion is not changed, ection 11 bear on 11, T34N, number of acres to be in	34N, R55E, do not answer. rs N 890  R55E, igated.
at a point of distance to a section of W 578.53 fee.  6. The existing perromand MDB&M., at a constant of the c	from which to corner, If on unsurvey et.  nitted point of dia point from 54.00 feet.  Fuse Portion  use Same as Describe by legal gation permit, describe	the Wix corner of red land, it should be stated.  iversion is located within which the Wix corner of NWix SWix: SW	in NW4 SW4 of If point of o rner of said S  NW4 of Sections. If for irrigation state of irrigation, state number of irrigation.	Section 11, Tolliversion is not changed, ection 11 bear on 11, T34N, number of acres to be in	34N, R55E, do not answer. FS N 890  R55E, igated.
at a point of distance to a section of W 578.53 fee.  6. The existing perromand MDB&M., at a constant of the c	from which to corner, If on unsurvey et.  nitted point of dia point from 54.00 feet.  Tuse Portion  use Same as Describe by legal gation permit, describe Janua	he Wix corner of red land, it should be stated.  iversion is located within which the Wix corner to be remarked for	in NW SW of If point of o rner of said S NW of Sections. If for irrigation state of irrigation, state number of irrigation.	Section 11, Tolliversion is not changed, ection 11 bear on 11, T34N, number of acres to be in	34N, R55E, do not answer. FS N 890  R55E, igated.
at a point of distance to a section of W 578.53 fee.  6. The existing perromagnetic MDB&M., at a composed place of MDB&M.  7. Proposed place of MDB&M.  8. Existing place of manner of use of irriging.	from which to corner. If on unsurvey et.  nitted point of dia point from 54.00 feet.  Tuse Portion  use Same as Describe by legal gation permit, describe Manual Manual	iversion is located within which the Wig Combined SWings S	in NW4 SW4 of If point of c rner of said S  A NW4 of Sections. If for irrigation state in irrigation, state number of irrigation.  to Dece	Section 11, Talversion is not changed, ection 11 bear on 11, Talversion is not changed, ection 11 bear on 11, Talversion is not changed, ection 11 bear on 11, Talversion is not changed, ection 11 bear on 11, Talversion is not changed, ection 11 bear on 11, Talversion is not changed, expension is not cha	34N, R55E, do not answer: rs N 890  R55E, igated.
at a point of distance to a section of W 578.53 fee.  6. The existing perromagnetic MDB&M., at a constant of the section of th	from which to corner. If on unsurvey et.  nitted point of dia point from 54.00 feet.  Tuse Portion  use Same as Describe by legal gation permit, describe de	iversion is located with which the Wa co	in NW SW of in NW SW of in NW SW of rner of said S rner of said S NW of Sections. If for irrigation state in irrigation, state number of irrigation.  to Dece	Section 11, Toliversion is not changed, ection 11 bear on 11, T34N, number of acres to be interested. If changed in the contract of acres irrigated. If changed in the contract of acres irrigated if changed in the contract of acres irrigated. If changed in the contract of acres irrigated if changed in the contract of acres irrigated. If changed in the contract of acres irrigated in the contract of acres irrigated. If changed in the contract of acres irrigated irrigated irrigated in the contract of acres irrigated irrigate	34N, R55E, do not answer. rs N 89 <sup>O</sup> R55E, igated.  of each yea  of each yea
at a point of distance to a section of W 578.53 feed  6. The existing perromand MDB&M., at a constant of the c	from which to corner. If on unsurvey et.  nitted point of dia point from 54.00 feet.  Tuse Portion  use Same as Describe by legal gation permit, describe de	the Wix corner of red land, it should be stated.  iversion is located within which the Wix corner of NWix SWix: SW	in NW SW of If point of a rner of said S  NW of Sections. If for irrigation state in irrigation, state number of irrigation.  to Dece	Section 11, Toliversion is not changed, ection 11 bear on 11, T34N, number of acres to be interested acres irrigated. If changed acres irrigated. If changed acres irrigated acres irrigated acres irrigated acres irrigated acres irrigated acres irrigated. If changed acres irrigated acres irrigated acres irrigated acres irrigated acres irrigated acres irrigated. If changed acres irrigated acres irr	34N, R55E, do not answer. FS N 890  R55E, igated.  of each yea  of each yea  to submit plans an
at a point distance to a section of W 578.53 fee.  6. The existing permander of MDB&M., at a composed place of MDB&M.  7. Proposed place of MDB&M.  8. Existing place of manner of use of irriging the composed place of manner of use of irriging the composed place of manner of use of irriging the composed place of manner of use of irriging the composed place of manner of use of irriging the composed place of manner of use of irriging the composed place of irriging	from which to corner. If on unsurvey et.  nitted point of dia point from 54.00 feet.  Tuse Portion  use Same as Describe by legal gation permit, describe by legal gation permit, described by legal gation permit gation gation permit gation gation permit gation gat	iversion is located with which the Wa co Sof NWa SWa; SW Describe by legal subdivisions. If permit is for the acreage to be removed from Month and Day (Under the provisions of	in NW SW of If point of o rner of said S  NW of Sections. If for irrigation state in irrigation, state number of to Dece to Dece Not NRS 535.010 you led well and ate manner in which water	Section 11, Intersion is not changed, ection 11 bear on 11, T34N, number of acres to be interested in the section of acres irrigated. If changed, in the section of acres irrigated if changed, in the section of acres irrigated in the section of acres irrigated. If changed is to be diverted, i.e. of its its interest in the section of	34N, R55E, do not answer: PS N 890  R55E, igated.  of each yea  to submit plans an uipped with liversion structure, ditch
at a point distance to a section of W 578.53 fee.  6. The existing perromagnetic MDB&M., at a composed place of MDB&M.  7. Proposed place of MDB&M.  8. Existing place of manner of use of irriging place in the manner of use of irrigin	from which to corner. If on unsurvey et.  nitted point of dia point from 54.00 feet.  Tuse Portion  use Same as Describe by legal gation permit, describe by legal gation permit, described works. ( your diversion of the seal sand littled well, etc.	the Wix corner of red land, it should be stated.  iversion is located within which the Wix corner of NWix SWix: SW	in NW4 SW4 of If point of of rner of said S  A NW4 of Sections. If for irrigation state in irrigation, state number of to Dece to Dece Not NRS 535.010 you led well and are manner in which water e of Use.	Section 11, Inversion is not changed, ection 11 bear on 11, T34N, number of acres to be interested on 11, T34N, number of acres irrigated. If changed is to be diverted, i.e. of is to be diverted.	34N, R55E, do not answer: PS N 890  R55E, igated.  of each yea  to submit plans an uripped with liversion structure, ditche

14.	Estimated time required to complete the application of water to beneficial use					
	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.					
	Estimated consumptive use: 1 cfs x 270 day/year = 535 ac. ft/yr. The					
	consumptive use may be considerably less depending on the temperature of the					
	geothermal fluids.					
	By Alan S. Boyack By Alan S. Boyack, Agent					
Con	bared bc/bl pr/bl 515 South Fifth Street, Elko, Nevada 89801					
Prot	sted					
	APPROVAL OF STATE ENGINEER					
wat sub that This NRS graflu hol fro and fic flu 1/2 eff at (CO The	ring limitations and conditions: This permit to change the point of diversion of the rs of an underground source as heretofore granted under Permit 47235 is issued ect to the terms and conditions imposed in said Permit 47235 and with the understanding no other rights on the source will be affected by the change proposed herein. Source is located within an area designated by the State Engineer pursuant to 534.030. The State retains the right to regulate the use of the water herein ted at any and all times.  The well shall be equipped and maintained to prevent any waste of the geothermal down their permits from State, Federal and local agencies.  This permit to change 47235 is issued with the following terms:  1. The well under Permit 47972 must be drilled a minimum distance of 1,000 feet the point of diversion of any underground permit.  2. A semi-annual report must be submitted to the State Engineer on January luly l of each year detailing the amount of water diverted and placed to beneal use and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the temperature and electrical conductivity readings of the extracted down and the tem					
******	A					
	must be prosecuted with reasonable diligence and be completed on or before. August 29, 1985					
	of completion of work shall be filed before September 29, 1985					
	cation of water to beneficial use shall be made on or before					
Proc	of the application of water to beneficial use shall be filed on or before September 29, 1987					
-	in support of proof of beneficial use shall be filed on or before					
Com	etion of work filed. SEP 3 0 1985  IN TESTIMONY WHEREOF, L PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of					
Proo	of beneficial use filed					
Cultu	al map filed					
Certi	tate No					
	. 2407 (Rev. 6-81) State Engineer					

 $\tilde{\mathcal{C}}_{i}$ 

47972

"Page Two"

fluids may be required.

5. The production well under this permit shall be cemented from the producing levels to the surface to protect fresh water zones. The completion plans of the well must be reviewed and approved by the State Engineer.

6. This permit is issued subject to the condition that only geothermal fluids are to be diverted and used for heating purposes, and fresh, cold water aquifers are

not to be diverted or interfered with.

